MONTHLY REPORT FORM

4500

Name, Address City, County, ZIP:

Station Code:

Reported Date (Month Year):

June 2006

Application:

01L00091*ED

8/7/2

American Energy Corporation 43521 Mayhugh Hill Road

017

Sampling Station Description : $\begin{tabular}{ll} Final Outfall \\ \end{tabular}$ BeallsvilleOH 43716

	nter 1 for Continuou nter frequency of sa	is, 2 for Composite, 3 ampling		Reporting Lab: Industrial lab	analysis	Analyst: Bharat Mani
(1)	1	3	3	3	3	
(2)		1	1	1	1	
(-/	(00083)	(00010)	(00300)	(00400)	(50060)	
	Color, Severity	Water Temperature C	Dissolved Oxygen	рН S.U.	Chlorine, Total	
Day	Units	С	mg/l	S.U.	Residual mg/l	
					mg/ I	***************************************
01						
02					:	
03					i	
04						
05			· · · · · · · · · · · · · · · · · · ·			
06	1		I			
07						
08			;	ere care constant	1 90 1 90 1 90 1	
09	:				N 10 10 10 10 10 10 10 10 10 10 10 10 10	
				de company	1	
10		and the second		and the second second		
11						
12						
13						
14	· · · · · · · · · · · · · · · · · · ·		w ·	• • • • • • • • • • • • • • • • • • • •		4
15	0			Man at an 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
16						
17	AN					
	i a a a			** · · · · · · · · · · · · · · · · · ·		
18	AN				! 	4
19	0,					
20	0		!			
21	0		7	7.3		
22	0					
23	0		·		<u> </u>	
24	AN				!	
25	AN				1	
26	0					
	. 0					
27	1				i	
28	0				<u> </u>	
29	0				: :	
30	0					
31						
OTAL	0	0	7	7.3	0	0
AVG	0		7	N/A		
MAX	0		7	7.3		
MIN	0	0	7	7.3	0	0

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Page 2 of